

AIR WASHER

VENTCOOL SYSTEMS (P) LTD.

COOL

CLEAN & COOL ENVIRONMENT

Evaporative cooler produces effective cooling by combining a natural process water evaporation with a simple reliable air-moving system. Fresh outside air is pulled through moist pads, where it is cooled by evaporation and circulated through a house or building by a blower.

AIR COOLING SYSTEM

Ventcool offer Turnkey solutions with regard to Air Cooling/Ventilation for office/factory. Salient features of our systems are

- ☆ Space/spot cooling
- ☆ Technical excellence
- ☆ Energy/space efficient
- ☆ Standard models available at better price/shorter deliveries
- Available in air capacity range from 5000-75000 cfm





VENTILATION SYSTEM

Ventcool offers effective, turnkey solutions with regard to ventilation for office/factory. With a strong engineering and design set up and efficient project management, we provide quality services and support to ensure that you have a reliable and efficient system commissioned on time. We provide

- ☆ General/Forced Draft Ventilation System
- ☆ Pressurization System
- ☆ Balanced Ventilation System
- ☆ Ventcool Misting



SUITABLE FOR....

AUTOMOBILE
RESTAURENT
GARMENT UNITS
PHARMACEUTICAL
INDUSTRIAL UNITS.
ENGINEERING UNITS
CHEMICAL INDUSTRIES
HEAVY / MEDIUM INGINEERING INDUSTRIES



CLEAN & COOL ENVIRONMENT

SALIENT FEATURES OF SINGLE SKIN & DOUBLE SKIN AIR WASHER

Main components which makes air cooling/ air washer most efficient among other competitors/manufacturers



The standard pre-filter are made of G.I./ Aluminium construction having efficiency 90% down to 70 micron.

Depends on application the fine filters of various efficiencies also can be provided.



Cellulose Pad

The Cellulose pads are of imported origin of Vapour+ make and are designed for maximum saturation efficiencies, being having large Air to surface contact area in 7mm flute size and 45° X 45° flute angle (more details are available further in this catalogue).



PRODUCT RANGE

- Dust Proofing
- Dust Scrubbers
- Combustion Fans
- Dust Collector
- Roof Extractor
- Paint Booths
- Bag Filters
- Axial Fans
- Centrifugal Blowers
- General Ventilation
- Fume/Dust Extractor System
- Air Cooling System
- Humidifier
- Cellulose Pad

The intention of this brochure is to introduce you to, and acquaint you with the capabilities of the Ventcool organization in the offered product areas. It will not answer all your immediate questions, and indeed, it will no doubt raise others. We welcome your interest in our products and shall be very pleased to provide further information.

GUARANTEE

Ventcool guarantees its products to be free of defects in materials and workmanship for a period of one year from the date of delivery from the factory, provided motors are properly installed with overload protector. Ventcool agrees to repair or replace defective parts or part to be returned to the factory, all transportation charges prepaid. Ventcool does not guarantee against abrasion, corrosion or erosion. Ventcool shall not be held responsible for any charges in connection with the removal or replacement of alleged defective equipment nor for incidental consequential damages.

In accordance with our policy of continual improvement in design, we reserve the right to depart from the details given in this brochure.

VENTCOOL SYSTEMS (P) LTD.